

1


IF IN DOUBT ASK. DO NOT SCALE.

3

4

DWG. CODE : KP-DFD-079  
SHEET NO. : 1 of 1


ALL DIMENSIONS ARE IN mm



# Note :

- Typical foundation drawing. Contact local site engineer for detailed drawing
- Parameters considered in RCC foundation design :  
Load bearing capacity of soil (LBC) : 10 Mt/m<sup>2</sup> (Minimum)  
Grade of steel reinforcement : Fe 415  
Grade of foundation bolt : 4.6
- Height of foundation above ground level (150mm) may be revised to suit the site conditions especially considering the expected water level stagnation.
- Template supplied is suggested to be used for locating the CC of foundation bolts.
- 4 Nos. of foundation bolts have to be oriented (located), while casting the foundation such that the door of the electrical junction box faces the required direction.
- PVC / GI pipe for entry of supply cable and the materials required for foundation are not scope of our supply.

04.	DESIGN REVISED	14-11-24	SANKAR		
03.	CABLE ENTRY HOLE REVISED	13-02-19	SATHISH		
02.	DESIGN REVISED	24-01-17	SATHISH		
01.	ELECTRICAL JUNCTION BOX DOOR SIZE REVISED	18-03-16	SELVA		
REV. No.	REVISION DETAILS	DATE	REVISED	CHD	APPD

DRAWN THIRUPATHI	CHECKED	APPROVED	DATE 25-03-15	SCALE 1 : 25	MATERIAL -	Y:\KP\005.FOUNDATION DETAILS\KP-DFD-079 (KP-38)\KP-DFD-079 (KP-38), REV 04.dwg			
<div>K-LITE</div>		<div>K-LITE INDUSTRIES PRIVATE LIMITED CHENNAI-600 058</div>			DETAILED FOUNDATION DRAWING FOR KP - 38 □300 x 16 (Foundation Bolt M20 x 500)				
						DRG. CODE. KP-DFD-079		REV 04	SHEET 1 of 1