

Line 'n' Dot recess mounted range of LED ceiling lights are a perfect fit for all indoor lighting applications. The die cast aluminium housing is ideal for better thermal management. High lumen output / Different wattage & CCT options available make this versatile for superior glare free indoor lighting solutions.

Product Description

- Luminaire made of die-cast aluminium for better thermal management.
- High efficiency diffuser for glare free, uniform light distribution.
- High PF constant current LED driver with surge and thermal protection.
- Ideal for super low depth space constraint false ceiling.
- Cable entries for through-wiring of mains supply cable.
- Suitable for operation on 240V, 50Hz single phase ac supply.
- Ordering guide : KL-7447-CCT (Colour Temperature)
- Available CCT : 3000K, 4000K, 5700K.



Product Benefits


- Visual comfort
- Linear shape
- Compact dimensions
- Minimalist design
- Anti-glare
- Quick & simple installation.
- High performance
- Sustainable LED technology

Area of Application

Shopping malls, Corporate Office, Airports, Conference Center, Clubs, Villas, Restaurants, etc.

Available Finish


White epoxy polyester powder coating.






LINE 'N' DOT - Extended

Down Lighters



SURFACE MOUNTING

ID	Wattage	Dimension
3217	15W LED	82 x 82 x 80
3218	40W LED	120 x 120 x 90



RECESS MOUNTING

ID	Wattage	C.O.D	Dimension
3209	4 x 4W LED	88 x 88	93 x 93 x 45
3210	9 x 4W LED	125 x 125	130 x 130 x 45